ESTUARINE AND COASTAL MARINE SCIENCE

Volume 2
1974

ACADEMIC PRESS
London and New York

Published by Academic Press Inc (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

ESTUARINE AND COASTAL MARINE SCIENCE

Volume 2
1974

ACADEMIC PRESS
London and New York

Published by Academic Press Inc (London) Ltd in association with the Estuarine and Brackish Water Sciences Association

Copyright © 1974, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 2

Number 1, January 1974

Page

Slinn, D. J., Water circulation and nutrients in the north-west Irish Sea . . . 1

Stride, A. H., Indications of long term, tidal control of net sand loss or gain by European coasts 27

Farmer, A. S. D., Field assessments of diurnal activity in Irish Sea populations of the Norway lobster, *Nephrops norvegicus* (L.) (Decapoda: Nephropidae) . . 37

Farmer, A. S. D., Burrowing behaviour of the Norway lobster, *Nephrops norvegicus* (L.) (Decapoda: Nephropidae) 49

Haedrich, R. L. and Haedrich, S. O., A seasonal survey of the fishes in the Mystic river, a polluted estuary in Downtown Boston, Massachusetts . . . 59

Notes and Discussions

Myers, T. D., An observation of rapid thermocline formation in the middle-Atlantic Bight 75

Carpenter, E. J., Anderson, S. J. and Peck, B. B., Copepod and chlorophyll *a* concentrations in receiving waters of a nuclear power station and problems associated with their measurement 83

Number 2, April 1974

Page

Editorial Note 89

Heathershaw, D. C. and Simpson, J. H., Fine structure of light attenuation and its relation to temperature in the Irish Sea 91

Schubel, J. R., Effects of exposure to time–excess temperature histories typically experienced at power plants on the hatching success of fish eggs . . . 105

BURWOOD, R. and SPEERS, G. C., Photo-oxidation as a factor in the environmental dispersal of crude oil 117

RASHID, M. A., Degradation of bunker C oil under different coastal environments of Chedabucto Bay, Nova Scotia 137

SEKI, H., TSUJI, T. and HATTORI, A., Effect of zooplankton grazing on the formation of the anoxic layer in Tokyo Bay 145

HALLBERG, R. O., Metal distribution along a profile of an inter-tidal area . . 153

ATKINSON, R. J. A., Spatial distribution of *Nephrops* burrows 171

WYER, D. and KING, P. E., Feeding in British littoral pycnogonids . . . 177

Notes and Discussions

JONES, G. B., Molybdenum in a nearshore and estuarine environment, North Wales 185

NUMBER 3, JULY 1974

PAGE

THOMAS, W. H., SEIBERT, D. L. R. and DODSON, A. N., Phytoplankton enrichment experiments and bioassays in natural coastal sea water and in sewage outfall receiving waters off Southern California 191

JAMES, I. D., Non-linear waves in the nearshore region: shoaling and set-up . 207

JAMES, I. D., A non-linear theory of longshore currents 235

ARULPRAGASAM, K. D., Seasonal and diurnal variation in salinity and water movements in Jaffna Lagoon, Ceylon 251

GALLENNE, B., Study of fine material in suspension in the estuary of the Loire and its dynamic grading 261

DYER, K. R., The salt balance in stratified estuaries 273

FOSTER, P. and MORRIS, A. W., Seasonal distribution of ultraviolet absorption in the surface waters of Liverpool Bay 283

McCarthy, J. C., Pyle, T. E. and Griffin, G. M., Light transmissivity, suspended sediments and the legal definition of turbidity 291

Notes and Discussions

van Raalte, C. D., Valiela, I., Carpenter, E. J. and Teal, J. M., Inhibition of nitrogen fixation in salt marshes measured by acetylene reduction . . 301

Book Review 307

Announcement 309

Number 4, October 1974

Page

Van Valkenburg, S. D. and Flemer, D. A., The distribution and productivity of nannoplankton in a temperate estuarine area 311

Hoss, D. E., Coston, L. C. and Schaaf, W. E., Effect of sea water extracts of sediments from Charleston Harbor, S.C., on larval estuarine fishes . . . 323

Hoare, R. and Hiscock, K., An ecological survey of the rocky coast adjacent to a bromine extraction works 329

Gordon, R. B., Dispersion of dredge spoil dumped in near-shore waters . . 349

Mackie, P. R., Whittle, K. J. and Hardy, R., Hydrocarbons in the marine environment. 1. *n*-Alkanes in the Firth of Clyde 359

Rattray, M. Jr and Mitsuda, E., Theoretical analysis of conditions in a salt wedge 375

Griggs, G. B., Nearshore current patterns along the central California coast . . 395

Whelan, T., Methane, carbon dioxide and dissolved sulfate from interstitial water of coastal marsh sediments 407

Taylor, D., Natural distribution of trace metals in sediments from a coastal environment, Tor Bay, England 417

Notes and Discussions

KAMYKOWSKI, D., Physical and biological characteristics of an upwelling at a Station off La Jolla, California during 1971 425

BOOK REVIEW 433

Index to Volume 2

Acetylene reduction measuring inhibition of nitrogen fixation in salt marshes, 301
n-Alkanes in the Firth of Clyde, 359
ANDERSON, S. J. *see* CARPENTER, E. J., 83
Announcement, 309
Anoxic layer in Tokyo Bay, effect of zooplankton grazing on, 145
ARULPRAGASAM, K. D., Seasonal and diurnal variation in salinity and water movements in Jaffna Lagoon, Ceylon, 251
ATKINSON, R. J. A., Spatial distribution of *Nephrops* burrows, 171
Atlantic Bight, rapid thermocline formation in, 75

Book review, 307, 433
Boston, Massachusetts, fish in the Mystic River in, 59
British littoral pycnogonids, feeding in, 177
Bromine extraction works, survey of rocky coast adjacent to, 329
Burrowing behaviour of the Norway lobster, 49
Burrows, of *Nephrops*, 171
BURWOOD, R. & SPEERS, G. C., Photo-oxidation as a factor in the environmental dispersal of crude oil, 117

California coast, current patterns along, 395
—, southern, phytoplankton in sewage outfall receiving waters in, 191
Carbon dioxide from interstitial water of coastal marsh sediments, 407
CARPENTER, E. J., ANDERSON, S. J. & PECK, B. B., Copepod and chlorophyll *a* concentrations in receiving waters of a nuclear power station and problems associated with their measurement, 83
— *see* VAN RAALTE, C. D., 301
Ceylon, salinity and water movements in Jaffna Lagoon, 251
Charleston Harbour, S.C., effect of sediments from, on larval estuarine fishes, 323
Chedabucto Bay, Nova Scotia, degradation of oil in, 137
Chlorophyll *a* concentrations in receiving waters of a nuclear power station, 83
Circulation of water and nutrients in the Irish Sea, 1
Coastal environment, trace metal distribution in, 417
— marsh sediments, methane, carbon dioxide and dissolved sulfate from, 407
— seawater, phytoplankton in, 191
Copepod concentrations in receiving waters of a nuclear power station, 83
COSTON, L. C. *see* HOSS, D. E., 323
Crude oil dispersal, 117
Current patterns along the central California coast, 395
Currents, longshore, 235

Degradation of Bunker C oil in Chedabucto Bay, 137
Dispersal of crude oil, 117
Diurnal activity in Irish Sea populations of the Norway lobster, 37
— variation in salinity and water movements in Jaffna Lagoon, 251
DODSON, A. N. *see* THOMAS, W. H., 191
Dredge-spoil dispersion in near-shore waters, 349
DYER, K. R., The salt balance in stratified estuaries, 273
Dynamic grading of fine material in suspension in the Loire estuary, 261

Ecological survey of the rocky coast adjacent to a bromine extraction works, 329
Editorial note, 89
Eggs (fish) hatching success after exposure to time-excess temperature, 105

Estuaries, salt balance in, 273
Estuarine area, nannoplankton in, 311
— environment, molybdenum in, 185
— larval fishes, effect of seawater, harbour sediment extracts on, 323
Estuary of the Loire, suspended fine material in, 261
—, polluted, survey of fish in, 59
European coasts, net sand loss or gain by, 27

FARMER, A. S. D., Burrowing behaviour of the Norway lobster, *Nephrops norvegicus* (L.) (Decapoda: Nephropidae), 49
—, Field assessments of diurnal activity in Irish Sea populations of the Norway lobster, *Nephrops norvegicus* (L.) (Decapoda: Nephropidae), 37
Feeding in British littoral pycnogonids, 177
Fine structure of light attenuation and its relation to temperature in the Irish Sea, 91
Firth of Clyde, *n*-alkanes in, 359
Fish eggs, effects of time-excess temperature histories typically experienced at power plants on their hatching success, 105
— in the Mystic River, a polluted estuary, 59
Fishes (larval estuarine), effect of seawater extracts of harbour sediments on, 323
FLEMER, D. A. *see* VAN VALKENBURG, S. D., 311
FOSTER, P. & MORRIS, A. W., Seasonal distribution of ultraviolet absorption in the surface waters of Liverpool Bay, 283

GALLENNE, B., Study of fine material in suspension in the estuary of the Loire and its dynamic grading, 261
GORDON, R. B., Disperson of dredge spoil dumped in near-shore waters, 349
GRIFFIN, G. M. *see* MCCARTHY, J. C., 291
GRIGGS, G. B., Nearshore current patterns along the central California coast, 395

HAEDRICH, R. L. & HAEDRICH, S. O., A seasonal survey of the fishes in the Mystic River, a polluted estuary in Downtown Boston, Massachusetts, 59
HAEDRICH, S. O. *see* HAEDRICH, R. L., 59
HALLBERG, R. O., Metal distribution along a profile of an inter-tidal area, 153
HARDY, R. *see* MACKIE, P. R., 359
Hatching of fish eggs, effects of time-excess temperature histories on, 105
HATTORI, A. *see* SEKI, H., 145
HEATHERSHAW, D. C. & SIMPSON, J. H., Fine structure of light attenuation and its relation to temperature in the Irish Sea, 91
HISCOCK, K. *see* HOARE, R., 329
HOARE, R. & HISCOCK, K., An ecological survey of the rocky coast adjacent to a bromine extraction works, 329
HOSS, D. E., COSTON, L. C. & SCHAAF, W. E., Effect of seawater extracts of sediments from Charleston Harbor, S.C., on larval estuarine fishes, 323
Hydrocarbons in the marine environment, 359

Interstitial water of coastal marsh sediments, methane, carbon dioxide and sulfate from, 407
Inter-tidal area, metal distribution in, 153
Irish Sea, fine structure of light attenuation and its relation to temperature in, 91
— —, north-west, water circulation and nutrients in, 1
— — populations of the Norway lobster, 37

Jaffna Lagoon, salinity and water movements in, 251
JAMES, I. D., A non-linear theory of longshore currents, 235
—, non-linear waves in the nearshore region: shoaling and set-up, 207
JONES, G. B., Molybdenum in a nearshore and estuarine environment, North Wales, 185

KAMYKOWSKI, D., Physical and biological characteristics of an upwelling at a station of La Jolla, California, during 1971, 425
KING, P. E. *see* DYER, D., 177

La Jolla, California, an upwelling off, 425
Larval estuarine fishes, effect of seawater, harbor sediment extracts on, 323
Light attenuation and its relation to temperature, 91
— transmissivity, 291
Littoral pycnogonids, feeding in, 177
Liverpool Bay, ultraviolet absorption in the surface waters, 283
Loire estuary, fine material in suspension in, 261
Longshore currents, 235

McCarthy, J. C., Pyle, T. E. & Griffin, G. M., Light transmissivity, suspended sediments and the legal definition of turbidity, 291
Mackie, P. R., Whittle, K. J. & Hardy, R., Hydrocarbons in the marine environment. I. *n*-Alkanes in the Firth of Clyde, 359
Marine environment, hydrocarbons in, 359
Marsh, coastal, methane, carbon dioxide and sulfate from, 407
Measurement of copepod and chlorophyll *a* concentrations in receiving waters of a nuclear power station, 83
Metal distribution along a profile of an inter-tidal area, 153
Methane from interstitial water of coastal marsh sediments, 407
Mitsuda, E. *see* Rattray, M. Jr, 375
Molybdenum in a nearshore and estuarine environment, North Wales, 185
Morris, A. W. *see* Foster, P., 283
Myers, T. D., An observation of rapid thermocline formation in the middle-Atlantic Bight, 75
Mystic River, survey of fish in, 59

Nannoplankton in a temperature estuarine area, 311
Nearshore current patterns along the central California coast, 395
— waters, dispersion of dredge spoil dumped in, 349
Nephrops burrows, 171
— *norvegicus*, burrowing behaviour, 49
— — diurnal activity in the Irish Sea, 37
Nitrogen fixation inhibition in salt marshes measured by acetylene reduction, 301
Non-linear theory of longshore currents, 235
— - — waves in the nearshore region, 207
North Wales, molybdenum in a nearshore and estuarine environment, 185
Norway lobster, burrowing behaviour, 49
— — populations in the Irish Sea, 37
Nova Scotia, degradation of oil in Chedabucto Bay, 137
Nuclear power station receiving waters, copepod and chlorophyll *a* concentrations in, 83
Nutrient circulation in the north-west Irish Sea, 1

Oil degradation in Chedabucto Bay, 137
Oil dispersal, 117

Peck, B. B. *see* Carpenter, E. J., 83
Photo-oxidation and dispersal of crude oil, 117
Phytoplankton enrichment experiments and bioassays in natural coastal sea water and in sewage outfall receiving waters, 191
Polluted estuary, the Mystic River in Downtown Boston, Massachusetts, a survey of fish in, 59
Power plants, effect on hatching of fish eggs, 105
— station (nuclear) receiving waters, copepod and chlorophyll *a* concentrations in, 83
Pycnogonids feeding in, 177
Pyle, T. E. *see* McCarthy, J. C., 291

Rashid, M. A., Degradation of bunker C oil under different coastal environments of Chedabucto Bay, Nova Scotia, 137
Rattray, M. Jr & Mitsuda, E., Theoretical analysis of conditions in a salt wedge, 375
Rocky coast adjacent to a bromine extraction works, survey of, 329

Salinity variations in Jaffna Lagoon, 251
Salt balance in stratified estuaries, 273
— marshes, inhibition of nitrogen fixation, 301
— wedge, theoretical analysis of, 375
Sand loss or gain by European coasts, 27
SCHAAF, W. E. *see* HOSS, D. E., 323
SCHUBEL, J. R., Effects of exposure to time–excess temperature histories typically experienced as power plants on the hatching success of fish eggs, 105
Seasonal survey of fishes in the Mystic River, 59
— variation in salinity and water movements in Jaffna Lagoon, 251
Seawater extracts of sediments from Charleston Harbor, S.C., on larval estuarine fishes, 323
SEIBERT, D. L. R. *see* THOMAS, W. H., 191
SEKI, H., TSUJI, T. & HATTORI, A., Effect of zooplankton grazing on the formation of the anoxic layer in Tokyo Bay, 145
Sewage outfall receiving waters, phytoplankton in, 191
Shoaling, 207
SIMPSON, J. H. *see* HEATHERSHAW, D. L., 91
SLINN, D. J., Water circulation and nutrients in the north-west Irish Sea, 1
Spatial distribution of *Nephrops* burrows, 171
SPEERS, G. C. *see* BURWOOD, R., 117
Sulfate from interstitial water of coastal marsh sediments, 407
Surface waters, ultraviolet absorption by, 283
Suspended sediments, 291
— fine material in the Loire estuary, 261
Stratified estuaries, salt balance in, 273
STRIDE, A. H., Indications of long term tidal control of net sand loss or gain by European coasts, 27

TAYLOR, D., Natural distribution of trace metals in sediments from a coastal environment, Tor Bay, England, 417
TEAL, J. M. *see* VAN RAALTE, C. D., 301
Temperate estuarine area, nannoplankton in, 311
Temperature and its relation to light attenuation in the Irish Sea, 91
— (excess)–time on hatching success of fish eggs, 105
Theoretical analysis of conditions in a salt wedge, 375
Thermocline formation in the middle-Atlantic Bight, 75
THOMAS, W. H., SEIBERT, D. L. R. & DODSON, A. N., Phytoplankton enrichment experiments and bioassays in natural coastal sea water and in sewage outfall receiving waters off Southern California, 191
Tidal control of net sand loss or gain by European coasts, 27
Time–excess temperature on hatching success of fish eggs, 105
Tokyo Bay, effect of zooplankton grazing on the formation of the anoxic layer in, 145
Trace metals in sediments from a coastal environment, 417
TSUJI, T. *see* SEKI, H., 145
Turbidity, legal definition, 291
Tor Bay, England, distribution of trace metals in, 417

Ultraviolet absorption in the surface waters of Liverpool Bay, 283
Upwelling off La Jolla, California, 425

VALIELA, I. *see* VAN RAALTE, C. D., 301
VAN RAALTE, C. D., VALIELA, I., CARPENTER, E. J. & TEAL, J. M., Inhibition of nitrogen fixation in salt marshes measured by acetylene reduction, 301
VAN VALKENBURG, S. D. & FLEMER, D. A., The distribution and productivity of nannoplankton in a temperate estuarine area, 311

Water circulation in the north-west Irish Sea, 1
— movements in Jaffna Lagoon, 251

Waves, non-linear in the nearshore region, 207
WHELAN, T., Methane, carbon dioxide and dissolved sulfate from interstitial water of coastal marsh sediments, 407
WHITTLE, K. J. *see* MACKIE, P. R., 359
WYER, D. & KING, P. E., Feeding in British littoral pycnogonids, 177

Zooplankton grazing on the formation of the anoxic layer in Tokyo Bay, 145